

NOTICE 2018

PLM Lake and Land Management Corp
 PO Box 424, Ewart, MI 49631
 (800) 382-4434(o) (231) 372-5900(f)
 www.plmcorp.net



IN 2018, SELECT AREAS OF MITCHELL LAKE WILL BE TREATED PERIODICALLY THROUGHOUT THE SUMMER BEGINNING IN APPROXIMATELY LATE MAY FOR THE CONTROL OF WEEDS AND/OR ALGAE. Below is a list of herbicides that may be applied to the lake and associated use restrictions. On day of treatment, signs will be posted along the shoreline within 100 feet of treatment areas that indicate what products were used and specific water use restrictions that apply:

Check all that apply	Chemical product/active ingredient	Chemical trade name	Do Not Use this water for swimming or bathing until	Do Not Use this water for ornamentals or turf irrigation until	Do Not Use this water for domestic purposes or agriculture irrigation until	Do Not Use this water for livestock watering or similar purposes until
X	Endothall	Aquathol K, Hydrothol 191	1 Day(s)	N/A	14 Day(s)	14 Day(s)
X	Flumioxazin	Clipper, Shooner	1 Day(s)	3 Day(s)	5 Day(s)	N/A
X	Imazapyr	Habitat	1 Day(s)	120 Day(s)	120 Day(s)	N/A
X	Chelated Copper Herbicide	Komeen Crystal, Nautique	1 Day(s)	N/A	N/A	N/A
X	2,4-D ester	Navigate 2,4-D	1 Day(s)	INDEF or until approved assay indicates a concentration of 100ppb or less for ornamentals; No restriction for established turf	INDEF or until approved assay indicates a concentration of 100ppb or less	INDEF or until approved assay indicates a concentration of 70ppb or less
X	Triclopyr liquid	Navitrol, Renovate 3	1 Day(s)	120 Day(s) or until approved assay indicates 1ppb or less; No restriction for established turf/grasses	120 Day(s) or until assay indicates 1ppb or less. N/A on domestic	See product label
X	Triclopyr granular	Navitrol DPF, Renovate OTF	1 Day(s)	Site-specific recommendation* No restriction for established turf/grasses	120 Day(s) or until assay indicates 1ppb or less. N/A on domestic	See product label
X	Triclopyr/2,4-D amine	Renovate Max G	1 Day(s)	Site-specific recommendation* No restriction for established turf/grasses	120 Day(s) or until assay indicates 1ppb or less triclopyr and 100 ppb or less 2,4-D. N/A on domestic	See product label
X	2,4-D amine	Sculpin G	1 Day(s)	Site-specific recommendation* No restriction for established turf/grasses	N/A on domestic; assay indicates levels under 100ppb at the water intake	See product label
X	Carfentrazone-Ethyl	Stingray	1 Day(s)	14 Day(s)	14 Day(s)	1 Day(s)
X	Diquat Dibromide	Tribune	1 Day(s)	3 Day(s)	5 Day(s)	1 Day(s)
X	PLM Blue, Cygnet Select: water dye (tracer), SeClear and SeClear G, Formula F-30, K-Tea: chelated copper, Cygnet Plus, PolyAn: Adjuvant., M.D. pellets: gram negative, naturally occurring bacteria.				No Restrictions on swimming, bathing, irrigation, domestic purposes or livestock watering.	

For a complete listing of all product labels, please see our website.

N/A= Not Applicable INDEF= Indefinite

***Site-Specific recommendations to limit ornamental irrigation with Renovate & Sculpin granular treated water will typically last 2-14 days. Contact PLM for further information.**

The chemicals used for Aquatic Nuisance Control are registered by the U.S. Environmental Protection Agency and the Michigan Department of Agriculture. The potential for damage to fish and other non-target organisms is minimal provided that the product is used as directed on the product label and the permit. To minimize the possible effects on health and the environment, the treated water is restricted for the above purposes.

PLM Lake & Land Management Corp. Certified Applicators: Salvatore Adams, Jason Broekstra, Jaimee Conroy, Bill D'Amico, Jeff Fischer, BreAnne Grabill, Dustin Grabill, Steve Hanson, Kyle Heath, Jake Hunt, Nate Karsten, Justin Krueger, Shannon Leifker, Blake Mallory, Michael Pichla, James Scherer, Ben Schermerhorn, Casey Shoaff, Lucas Slagel, Jeff Tolan, Andy Tomaszewski, Dennis Vangessel,